

## NONAQUEOUS ELECTROLYTE AND NONAQUEOUS ELECTROLYTIC SECONDARY BATTERY

Patent Number: JP10189038  
Publication date: 1998-07-21  
Inventor(s): HIBARA AKIO; ONOMI TAKEHIKO  
Applicant(s): MITSUI CHEM INC  
Requested Patent: ☐ JP10189038  
Application Number: JP19960346238 19961225  
Priority Number(s):  
IPC Classification: H01M10/40  
EC Classification:  
Equivalents:

### Abstract

**PROBLEM TO BE SOLVED:** To provide a nonaqueous electrolytic secondary battery having a high degree of incombustibility and safety, having the capability of generating high voltage and further having a high charging and discharging function by composting a nonaqueous electrolyte of a nonaqueous solvent containing a phosphoric ester compound having a group with an ether linkage and an electrolyte.

**SOLUTION:** The nonaqueous electrolyte of a secondary battery is composed of a nonaqueous solvent containing the phosphoric ester compound expressed by the formula and an electrolyte. In the formula, R<1>, R<2> and R<3> may be identical to or different from each other, and are an alkyl group having carbons between 1 and 4, or a group having the ether linkage expressed by -R<4>-O-R<5>. Also, R<4> and R<5> stand for a hydrocarbon group having carbons between 1 and 10. Furthermore, lithium salt such as LiPF<sub>6</sub>, LiBF<sub>4</sub>, LiClO<sub>4</sub>, LiAsF<sub>6</sub>, and LiCF<sub>3</sub>SO<sub>3</sub> is mentioned, for example, as an electrolyte dissolved in the nonaqueous electrolyte. Also, the electrolyte is preferably contained in the nonaqueous electrolyte at a level of concentration between 0.5 and 2mol/L. The nonaqueous electrolyte may be used for a cylindrical nonaqueous electrolytic secondary battery or the like.

Data supplied from the esp@cenet database - I2